

Radical SR3

RENNFAHRZEUGE / TOURENWAGEN

Inseratstyp: Inseratsdatum: Inserats-Nr.: Zustand: Hersteller: Baujahr: StvZo / Classic: Hubraum in

ccm: Leistung in PS: Preis:

Verkauf 12.2.2018 ren540053 **Gebraucht** 2010 **Nein / Nein** 1500 **VB EUR 32.500**

Beschreibung:

RADICAL SR3 - 2010

Chassis

make: Radical

model: SR3

production year: 2010

chassis type: Monocoque

body material: Plastic

serial number: 0443

Engine

make : Powertec

number of cylinders: 4

filling: Atmospheric

capacity: 1560 ccm

power : 260 HP - 10 500 ot./min

oil pan: dry - oil cooler included

clutch: lamellar

electric pump: providing a coolant circulation

gearbox: Paddle shift - six-speed sequential

differential: Quife - Powertec cooling system with oil cooler

max. speed: 248 km/h

acceleration: 0-60 mph: 3,1 sec

acceleration: 50-100 mph: 5,3 sec

Parameters:

length: 4 100 mm

width: 1 790 mm

height: 1 040 mm

weight: 570 kg

Features and accessories:

- tank capacity of 76 liters including drain valve
- high-speed filling system
- fully adjustable pedals
- steering wheel with quick-release system
- AIM MXL data logger including AIM camera
- Intercom - communication system
- adjustable braking pressure ratio
- four-piston brakes - 280 mm x 25 mm - front floating brake discs
- brake pressure sensors - front / rear axle
- Radical cast aluminum wheels with central nut - Dunlop tires
- changeable front and rear anti roll bars (3 front / 4 rear)
- Intrax 3-way dampers
- preparation for the air-jack air lift system
- reinforced drive shafts
- transponder
- sport exhaust (3 silencers available)
- electric oil preheating system

- molitans adjusting the seat position
- 2 sets of alloy wheels

RADICAL SR3 - 2012

Chassis

make: Radical

model: SR3

production year: 2010

chassis type: Monocoque

body material: Plastic

serial number: 0731

Engine

make : Powertec

number of cylinders: 4

filling: Atmospheric

capacity: 1560 ccm

power : 260 HP - 10 500 ot./min

oil pan: dry - oil cooler included

clutch: lamellar

electric pump: providing a coolant circulation

gearbox: Paddle shift - six-speed sequential

differential: Quife - Powertec cooling system with oil cooler

max. speed: 248 km/h

acceleration: 0-60 mph: 3,1 sec

acceleration: 50-100 mph: 5,3 sec

Parameters:

length: 4 100 mm

width: 1 790 mm

height: 1 040 mm

weight: 570 kg

Features and accessories:

- tank capacity of 76 liters including drain valve
- fully adjustable pedals
- steering wheel with quick-release system
- AIM MXL data logger
- Intercom - communication system
- adjustable braking pressure ratio
- four-piston brakes - 280 mm x 25 mm - front floating brake discs
- brake pressure sensors - front / rear axle
- steering wheel sensor
- Radical cast aluminum wheels with central nut - Dunlop tires
- changeable front and rear anti roll bars (3 front / 4 rear)
- Intrax 3-way dampers
- preparation for the air-jack air lift system
- reinforced drive shafts
- transponder
- middle standard exhaust (3 silencers available)
- electric oil preheating system
- molitans adjusting the seat position
- extinguisher system
- 2 sets of alloy wheels



Tools

[Parken](#)

[Drucken](#)

[Melden](#)

Anbieter

RTR Projects a.s

Tomas Masek

Horova 3215/63

Tel.: +420 (0) 739 681077

Tschechische Republik - 61600 Brno